


4

3

2

1

REV	ECO	REV BY	DATE	APPD	DATE
D	0025402	O. CARVAJAL	04-13-2012	D. BALDERRAMA	04-13-2012



CUSTOMER MODEL	FIRST MOTOR REF	FRAME LENGTH REF		C		AG		AH		N		F		X		Z		NOTICE
		ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	
-----	316P933	4.562	[115.87]	8.66	[220.0]	6.72	[170.7]	1.94	[49.3]	1.82	[46.2]	1.50	[38.1]	20.00	[508.0]	.50	[12.7]	92GN0676
4785EM	S48F02A01	4.562	[115.87]	8.66	[220.0]	6.72	[170.7]	1.94	[49.3]	1.82	[46.2]	1.50	[38.1]	20.00	[508.0]	.50	[12.7]	-----

GEOMETRIC CHARACTERISTICS & SYMBOLS
 □ FLATNESS
 - STRAIGHTNESS
 < ANGLARITY
 ⊥ PERPENDICULARITY (SQUARENESS)
 // PARALLELISM
 ○ ROUNDNESS (CIRCULARITY)
 ∅ CYLINDRICITY
 △ PROFILE OF ANY SURFACE
 ∩ PROFILE OF ANY LINE
 ↗ RUNOUT
 ⊕ TRUE POSITION
 ⊙ CONCENTRICITY
 = SYMMETRY
 ASME Y14.5M 1994

UNLESS OTHERWISE SPECIFIED DIM. TOLERANCES ARE AS FOLLOWS:
 INCH X XX XXX XXXX
 mm ±0.5 ±0.13 ±0.013
 ANG. ±.50 DEG
 REMOVE BURRS & BREAK SHARP EDGES:
 INCH .003-.015 mm 0.1-0.4
 CORNER FILLETS TO:
 INCH .020 mm 0.5
 MACHINE SURFACES:
 INCH 125 mm 3.2
 METRIC DIMS. SHOWN IN [BRACKETS]

DR BY: RHODUS 11-24-1992
 APPD:
 THIRD ANGLE PROJECTION
 EDS DATE 11-11-2011
 FORMAT REV G
 CONFIDENTIAL: THIS DRAWING AND ITS INFORMATION ARE THE EXCLUSIVE AND CONFIDENTIAL PROPERTY OF REGAL-BELOIT CORPORATION AND ARE NOT TO BE DISCLOSED, DUPLICATED, DISTRIBUTED OR OTHERWISE USED WITHOUT THE WRITTEN CONSENT OF REGAL-BELOIT CORPORATION. -ALL RIGHTS RESERVED.

REGAL-BELOIT CORPORATION

DESCRIPTION: **OUTLINE**

SIZE: C DWG NO: 11914-004

SCALE: NONE SHEET 1


4

3

2

1

REVISION:	ECO	REVISADO POR:	FECHA:	APROBADO POR:	FECHA:
D	0025402	O. CARVAJAL	04-13-2012	D. BALDERRAMA	04-13-2012



CUSTOMER MODEL	FIRST MOTOR REF	FRAME LENGTH REF		C		AG		AH		N		F		X		Z		NOTICE
		ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	
-----	316P933	4.562	[115.87]	8.66	[220.0]	6.72	[170.7]	1.94	[49.3]	1.82	[46.2]	1.50	[38.1]	20.00	[508.0]	.50	[12.7]	92GN0676
4785EM	S48F02A01	4.562	[115.87]	8.66	[220.0]	6.72	[170.7]	1.94	[49.3]	1.82	[46.2]	1.50	[38.1]	20.00	[508.0]	.50	[12.7]	-----

CARACTERISTICAS DE GEOMETRIA Y SIMBOLOS

- PLANICIDAD
- RECTITUD
- ∠ ANGULARIDAD
- ⊥ PERPENDICULARIDAD (A ESQUADRA)
- // PARALELISMO
- REDONDEZ (CIRCULARIDAD)
- ∅ CILINDRICIDAD
- △ PERFIL DE CUALQUIER SUPERFICIE
- ∧ PERFIL DE CUALQUIER LINEA
- ∧ VARIACION
- ⊕ POSICION REAL
- ◎ CONCENTRICIDAD
- = SIMETRIA

ASME Y14.5M 1994

A MENOS QUE SE ESPECIFIQUE DE OTRA MANERA, LAS TOLERANCIAS DE LAS DIMS; SON LAS SIGUIENTES:

PULG ±.1 ±.02 ±.005 ±.0005
 mm ±0.5 ±0.13 ±0.013

ANG. ±.50 GRADOS

ELIMINAR REBABAS Y ORILLAS FILOSAS DEL BORDE.

PULG .003-.015 mm 0.1-0.4

FILETEAR ESQUINA: PULG .020 mm 0.5

MAQUINAR SUPERFICIES

PULG 125 mm .32

DIMS METRICAS MOSTRADAS [PARENTESIS]

DIBUJADO POR: RHODUS 11-24-1992

APROBADO POR:

TERCER ANGULO DE PROYECCION

FECHA EDS: 11-11-2011

REV. FORMATO: G

CONFIDENCIAL: ESTE DIBUJO Y SU INFORMACION SON PROPIEDAD DE USO EXCLUSIVO Y CONFIDENCIAL DE REGAL-BELOIT CORPORATION. Y NO DEBERAN SER REVELADOS, DUPLICADOS, DISTRIBUIDOS O USARSE DE OTRA MANERA SIN EL CONSENTIMIENTO ESCRITO DE REGAL-BELOIT CORPORATION. -TODOS LOS DERECHOS RESERVADOS.

REGAL-BELOIT CORPORATION

DESCRIPCION: **OUTLINE**

TAMAÑO: C NUMERO DE DIBUJO: 11914-004

ESCALA: NONE HOJA: 1


4

3

2

1

版本	ECO	编制	日期	批准	日期
D	0025402	O. CARVAJAL	04-13-2012	D. BALDERRAMA	04-13-2012



CUSTOMER MODEL	FIRST MOTOR REF	FRAME LENGTH REF		C		AG		AH		N		F		X		Z		NOTICE
		ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	
-----	316P933	4.562	[115.87]	8.66	[220.0]	6.72	[170.7]	1.94	[49.3]	1.82	[46.2]	1.50	[38.1]	20.00	[508.0]	.50	[12.7]	92GN0676
4785EM	S48F02A01	4.562	[115.87]	8.66	[220.0]	6.72	[170.7]	1.94	[49.3]	1.82	[46.2]	1.50	[38.1]	20.00	[508.0]	.50	[12.7]	-----

- 形位公差
- 平面度
 - 直线度
 - ∠ 倾斜度
 - ⊥ 垂直度
 - // 平行度
 - 圆度
 - ⊘ 圆柱度
 - △ 面轮廓度
 - ∩ 线轮廓度
 - ∩ 圆跳动
 - ⊕ 位置度
 - ⊙ 同轴度
 - ≡ 对称度

ASME Y14.5M 1994

除另有注明
尺寸公差如下:

英寸 X XX XXX XXXX
 毫米 ±.1 ±.02 ±.005 ±.0005
 毫米 ±0.5 ±0.13 ±0.013

角度 ±.50 度
 清理毛刺和尖棱
 英寸 .003-.015 毫米 0.1-0.4

内圆角
 英寸 .020 毫米 0.5

表面粗糙度
 英制 125 米制 3.2

米制尺寸显示在 []

绘图: RHODUS 11-24-1992

批准:

第三角投影

图纸格式发布日期 11-11-2011
图纸格式版本 G

机密: 本图纸及相关信息所有权归REGAL-BELOIT CORPORATION
未经REGAL-BELOIT CORPORATION书面授权, 不得泄露、
复制、传播或作其他用途。—版权所有



名称		OUTLINE	
图幅	C	图号	11914-004
比例	NONE	页号	1

4

3

2

1