




Industrial Farm/Ag Motors



Built to last in the demanding
agricultural industry.

A Regal Brand

REGAL

Don't let a motor decide

LEESON Farm/Ag Industrial Motors.



when your day ends.

LEESON Farm/Ag motors are designed for one thing—work. Specifically, to handle high-starting loads and severe-duty applications of the agricultural industry. For more than 40 years LEESON has listened to user feedback to help engineer motor solutions that work just as you expect. This process led the development of specialty OEM motor designs, stock replacement motors as well as new equipment solutions. LEESON Farm/Ag motors—just like you, they're not afraid of work.



Big Red



Industry leader that performs in the demanding applications experienced daily in the Farm/AG environment. The “Big Red” and ECO-Ag Series of motors are engineered to perform in all weather conditions.

LEESON designed these motors for the agricultural industry to work the land, tend to livestock and put food on the table for consumers everywhere. They’re built to last in the most demanding applications.

The “Big Red” series of Farm Duty and ECO-Ag Premium efficient motors are built to meet industry demands. The single-phase motors provide starting torque up to 400%. Designed and engineered for the hard-working people that simply cannot afford downtime in demanding applications such as: feeders, fans, grain elevators, silo unloaders and barn cleaners.

FEATURES & BENEFITS:

- Double-sealed Ball Bearings—Long life in dusty and moist conditions
- EXXON Polyrex®EM Grease -20°F to +350°F—Ideal for extreme temperatures
- Low Temperature Manual Overload Protector—Ensure proper motor protection in low temperatures
- Shaft Flinger—Helps prevent dirt and rain from damaging bearings
- Condensation Drains—Enable moisture or condensation draining





**High Torque • Rigid Base •
Single-Phase • TEFC**

- 1/3–10HP
- Manual overload protection
- Class F insulation
- Rubber boot over protector
- Shaft flinger
- C-Face motors
- Gasketed conduit box and capacitor cases



**Extra-High Torque • Rigid Base •
Single-Phase • TEFC**

- 5–10HP
- Produce up to 400% starting torque
- 230V
- Manual overload protection
- Drain holes
- Gasketed conduit box



**Premium Efficient • Rigid Base •
Single-Phase**

- 1/3–2HP
- Up to 22% higher efficiency than standard Ag motors
- High starting torque
- Sealed bearings
- Manual overload protection
- Condensation drains
- Shaft flinger



**Premium Efficient • Rigid Base •
Three-Phase**

- 1/2–10HP
- Meet or exceed NEMA Premium efficiencies
- Normally closed, thermostat protected
- Double-sealed ball bearings
- C-Face kits available
- High starting torque

Definite Purpose

Designed specifically for everyday applications that demand a rugged motor that will hold up in the harsh and weather-affected machinery found in the Farm/Ag industry.



LEESON has a variety of definite purpose motors used in the Farm/Ag industry. They are drop-in replacements for many OEM designed machines and can be used on new equipment as well.

APPLICATIONS & BENEFITS:

- Irrigation Pumps and Drives—Corrosion-resistant paint and rain canopy protects motors from the elements
- Fish Pond Aerators—Weather resistant finish and high torque designs
- Grain Stirring Equipment—Vertical shaft up-mounting design and over-size drive end-bearing helps ensure motor reliability
- Milk Transfer Pumps—Direct replacement for surge milk pumps
- Feed Auger Drives—Motor switches have over-speed protection and solid-state type switch designs to deliver long motor life





Grain Stirring Motors

- 1½HP
- High torque design
- Vertical shaft up mounting design
- ¾" diameter shaft



Irrigation Booster Pump Motors

- 2HP
- Threaded jet pump shaft
- Vertical shaft down design
- Rain canopy provided
- Corrosion-resistant epoxy paint



Irrigation Drive Motors

- 1HP
- Double-sealed ball bearings
- Vertical shaft down design
- Rain canopy provided
- Corrosion-resistant epoxy paint



Milk Transfer Pump Motors

- ½HP
- Direct replacement for surge milk pumps
- Permanent split capacitor design
- Double-sealed ball bearings



Feed Auger Drive Motors

- ⅓–1½HP
- 50/60 Hz designs available
- Mechanical switch and solid-state switch designs
- Over-speed protection on mechanical switches
- Manual overload protected



Catfish Pond Motors

- 10HP
- Single- and three-phase
- Corrosion resistant finish
- High-torque designs
- Double-sealed ball bearings
- C-face with base

Fan & Blower Motors



Fans play a crucial role in the Ag industry, from providing climate controlled air for raising animals to providing forced air to dry crops. LEESON has field-proven motor designs that hold up and won't let you down when needed.

LEESON has a broad line of fan motors designed specifically for use in the demanding Ag industry and function as drop-in replacements. Their designs include heavy-duty insulation and protection systems that ensure lasting motor life.

APPLICATIONS & BENEFITS:

- Crop Dryers—Rodent screen protects against animal and insect motor damage
- Aeration Fans—Installed terminal boards simplify wiring connections to motors
- Centrifugal Fans—Epact and Premium efficient designs save energy and power consumption
- Variable Speed Ag Fans—Automatic overload protection ensures safe working environments
- Hatchery and Incubator Fans—Resilient base and thru-bolt mounting platforms meet many application needs
- Belt Drive Ag Fans—High-torque designs ensure proper fan speed





Aeration Fan Motors

- ¾–3HP
- Single- and three-phase designs available
- TEAO designs—must be mounted in fan's airstream
- Terminal board connections on single-phase designs
- Epoxy painted to resist corrosion



Crop Dryer Motors

- 3–15HP
- Single- and three-phase designs available
- Overload protected
- Rodent screens provided
- Double-sealed ball bearings



Centrifugal Fan Motors

- 10–30HP
- EPACT (Energy Policy Act) compliant
- Premium efficient three-phase motors
- Open drip-proof designs
- Rodent screens provided
- Regreasable bearings
- Cast iron construction
- Inverter duty



Hatchery and Incubator Fan Motors

- ¼–½HP
- TEAO designs
- Automatic overload protected
- Double-sealed ball bearings



Variable Speed Ag Fan Motors

- ¼–2HP
- Water-tight connection end compartment
- Double-sealed ball bearings
- TEAO designs
- Automatic overload protected



Belt Drive Agricultural Fan Motors

- ½–2HP
- High efficiency capacitor start/run designs
- TEAO designs
- Combination 56/140 frames stamped steel base
- Automatic overload protected