



Fig. A A129



Fig. B A159, A161



Fig. C A088



Fig. D A128



Fig. E B23617



Fig. F B23618



Fig. G A140



Fig. I A155



Fig. K A157



Fig. M A160



Fig. H A133



Fig. J A156



Fig. L A158



Fig. N A162

- For Gas or Oil Furnaces and Heaters
- Thermally protected
- Sleeve bearing and ball bearing models
- Some Blowers are also listed in OEM and Blower sections of catalog
- Blower flanges available shown in accessory section of catalog

BLOWERS FOR HIGH EFFICIENCY FURNACES						
Model	Fig.	Volts	Amps	Motor Type	No. of Speeds	Reference No.
A129	A	115	1.95	S.P.	1	Amana 7021-9064, 7021-9259
A158 [^]	L	115	.7	P.S.C.	1	Amana 7062-3151
A160	M	115	1.6	S.P.	1	Amana 7002-2407
A155	I	115	1.4	S.P.	1	Armstrong 7021-10046
A161 [■] •	B	230	.6	S.P.	1	Brinkley 8353920103, Fedders
A088	C	115	1.3	S.P.	1	Coleman, Dornback 7021-6759, 7021-5478; York 7021-8629, 7021-7105,
A128	D	115	.9	S.P.	1	Consolidated Industries 7021-6376, 7021-9404
A156	J	115	1.1	S.P.	1	Evcon 7021-8935
A159 [■] •	B	230	.5	S.P.	1	Fedders 11-7096, AK4K84BX
B23617 [■]	E	115/230	.9/4	S.P.	1	Franklin 80270
B23618 [■] •	F	115/230	.9/4	S.P.	1	Franklin 80270
A140	G	115	1.4	S.P.	1	Goodman 7021-9087, 7021-9000
A157	K	115	1.3	S.P.	1	Goodman 7002-2307
A162 [■]	N	208-230	.5	S.P.	1	Goodman 7021-8656
A133	H	115	1.2	S.P.	1	Heat-n-Glow 7002-1241

- Ball bearing motor
- Includes centrifugal switch
- [^] 4MFD, 250 VAC Capacitor included

Products on this page are NOT SUITABLE for unattended equipment unless indicated by ► symbol. See inside back cover for additional information.

See pages 48 through 71 for OEM direct replacement models.

Specific Purpose Blowers



Fig. A A064



Fig. B A134



Fig. C A145



Fig. D A141



Fig. E A148

NEW
NEW

NEW

BLOWERS FOR HIGH EFFICIENCY FURNACES						
Model	Fig.	Volts	Amps	Motor Type	No. of Speeds	Reference No.
A064	A	115	.7	S.P.	1	Heil Quaker 610672, 7021-5043, 7021-7102
A134•	B	115	1.5	S.P.	1	InterCity Products 7021-9335/ 7021-8735, 7021-9499, 7021-8736, 7021-7700
A145^•	C	115	.7	P.S.C.	1	InterCity Products 7062-4061
A141•	D	115	1	S.P.	1	InterCity Products 7021-8741, 7021-8742, 7021-9188, 7021-9498
A148	E	208-230	.5	S.P.	1	InterCity Products 7021-7617, 7021-9237
A151	F	230	.3	S.P.	1	InterCity Products HQ1050144
A135	H	120	.7	S.P.	1	Lennox 7021-8812, 7021-8819
A138	G	120	.7	S.P.	1	Lennox 7021-8657, 7021-8825
A163	I	115	1.8	S.P.	1	Lennox 7021-9450
A164	J	120	.8	S.P.	1	Lennox 7021-9593
A169	K	230	.75	S.P.	1	InterCity Products 7021-10048, 7021-10580
A170	L	115	2.3	S.P.	1	InterCity Products, 7021-10299, 7021-10702
A081*+•	H	230	.5	S.P.	1	Magic Chef, HWC series 48HWC24A, 48HWC181, 35HWC181, 60HW, 60HWC24A, 60HWC181, 48HW, 60HWC30A, 66HWC18A, 36HWC241, 66HW, 60HWC241, 66HWC181, 66HWC241, 60HWC301, 48HWC241, 66HWC301, 48HWC18A, 60HWC18A, 36HWC18A, 66HWC24A, 36HW, 36HWC24A
A085	I	230	.7	S.P.	1	AO SMITH 464, JOHNSON FURNACE

* Stainless Steel shaft • Ball bearing motor ^ 4MFD, 250 VAC Capacitor included
+ Replacement For Airease, Armstrong and Magic Chef



Fig. F A151



Fig. H A081



Fig. J A164



Fig. L A170



Fig. G A135, A138



Fig. I A163, A085



Fig. K A169

Products on this page are NOT SUITABLE for unattended equipment unless indicated by ► symbol. See inside back cover for additional information.

See pages 48 through 71 for OEM direct replacement models.

Specific Purpose Blowers



Fig. A A146



Fig. B A069



Fig. C A075



Fig. D A130



Fig. E A150



Fig. F A118



Fig. G A080



Fig. I A063



Fig. K A137



Fig. M A154



Fig. O A168



Fig. H A083



Fig. J A144



Fig. L A147



Fig. N A165

BLOWERS FOR HIGH EFFICIENCY FURNACES

Model	Fig.	Volts	Amps	Motor Type	No. of Speeds	Reference No.
A146	A	115	1-.35	S.P.	2	Trane 7021-7986, 7002-2531, 7021-8925
A069	B	208-240	.5	S.P.	1	Trane 38040252, 82252, 7021-6682
A075 ■ •	C	230	.4	S.P.	1	Franklin 82005; Trane 38050005, 7021-6681
A130^	D	115	.7	P.S.C.	1	Trane 7062-3956, 7021-4004, 7062-5247, 7062-3616; Nordyne 7062-4159, 7062-4639
A150	E	208-230	.5	S.P.	1	Trane 7021-7833, 7021-8928
A118	F	115	1.8	S.P.	1	Williamson 100,000 BTU furnaces, 7021-6999, 7021-7042 (leads require modification)
AO80	G	115	1.1	S.P.	1	Williamson 7021-5510, 02-568; Franklin F3670-1; Rotron RFB6
AO83 ■ •	H	230	.8	S.P.	1	York 026-16323-0000, 02620224-000, 7021-1373
AO63 •	I	230	.6	S.P.	1	York 026-22239-700, 7021-4314
A144 ■	J	208-230	.5	S.P.	1	York 7021-6770
A137+	K	115	.7	P.S.C.	1	York International 7062-2442, 7062-3484, 024-25057-000
A147+	L	115	.7	P.S.C.	1	York 7062-3342, 024-25007-700
A154	M	115	1.2	S.P.	1	7021-9428
A165^	N	115	.7	P.S.C.	1	7062-3958
A168	O	115	.7	P.S.C.	1	Excel/Ducane/York 7062-5019

NEW

• Ball bearing motor
 + 4MFD, 250 VAC Capacitor included
 ^ 4MFD, 370 VAC Capacitor included

■ Includes centrifugal switch

Products on this page are NOT SUITABLE for unattended equipment unless indicated by ► symbol. See inside back cover for additional information.

See pages 48 through 71 for OEM direct replacement models.